

## Search



## Strapping

### > Strapping

#### o > Plastic

- > Hand Grade Polypropylene Strapping
- > Machine Grade Polypropylene Strapping
- > Polyester Strapping

## Machine Grade Polypropylene Strapping

[Save as PDF](#)

Polypropylene machine grade is designed to run through semi-automatic and fully-automatic power strapping equipment, providing you with superior performance for light to medium-duty bundling applications. Characteristics include high elongation and elongation recovery. In addition to being economical,

| Stock # | Size | Footage | Color | Tensile | Thickness | Core Size |
|---------|------|---------|-------|---------|-----------|-----------|
| NSP-148 | 1/4  | 17000   | W     | 200#    | 0.022     | 8x8       |
| NSM-738 | 3/8  | 12900   | W     | 300#    | 0.022     | 8x8       |

- > Polyester Cord
- > Steel
  - > Regular Duty
  - > High Tensile

|           |      |       |     |      |       |      |
|-----------|------|-------|-----|------|-------|------|
| NSM-750   | 1/2  | 9900  | B/W | 350# | 0.022 | 8x8  |
| NSM-752   | 1/2  | 7200  | B/W | 500# | 0.024 | 8x8  |
| NSM-760   | 1/2  | 7200  | B/W | 600# | 0.031 | 8x8  |
| NSP-149   | 1/4  | 18000 | W   | 200# | 0.022 | 9x8  |
| NSP-7MM   | 7MM  | 17000 | W   | 200# | 0.022 | 9x8  |
| MWS-1/2   | 1/2  | 9900  | W   | 300# | 0.022 | 9x8  |
| MWS-12MM  | 12MM | 9900  | W   | 350# | 0.022 | 9x8  |
| MG-400    | 3/8  | 8700  | W   | 400# | 0.024 | 16x6 |
| MWS-9MM   | 9MM  | 12900 | W   | 265# | 0.022 | 9x8  |
| MG-500    | 1/2  | 6600  | B/W | 500# | 0.024 | 16x6 |
| MIL-420   | 1/2  | 7200  | B/Y | 600# | 0.031 | 16x6 |
| MG-600    | 1/2  | 6000  | B   | 600# | 0.031 | 16x6 |
| MG-650    | 1/2  | 6000  | B   | 600# | 0.032 | 16x6 |
| MG-750    | 1/2  | 5600  | B   | 750# | 0.034 | 16x6 |
| SJ-5095-6 | 1/2  | 9500  | B/Y | 650# | 0.031 | 24x6 |
| NSP-5MM8  | 5MM  | 24000 | W   | 110# | 0.014 | 8x8  |
| NSP-5MM9  | 5MM  | 20000 | W   | 175# | 0.016 | 9x8  |
| MG-209    | 1/4  | 20000 | C/Y | 145# | 0.014 | 4x6  |
| MG-212    | 1/4  | 15000 | C/Y | 200# | 0.018 | 4x6  |
| MG-2128   | 1/4  | 16700 | C   | 200# | 0.018 | 4x6  |
| MG-654    | 3/8  | 11250 | B   | 300# | 0.018 | 8x8  |
| MG-714    | 7/16 | 10500 | B   | 400# | 0.019 | 16x6 |

|         |      |      |   |      |       |      |
|---------|------|------|---|------|-------|------|
| MG-7148 | 7/16 | 8000 | B | 400# | 0.019 | 8x8  |
| MG-716  | 7/16 | 8000 | B | 500# | 0.025 | 16x6 |
| MG-7168 | 7/16 | 6700 | B | 500# | 0.025 | 8x8  |
| MG-718  | 7/16 | 7000 | B | 600# | 0.03  | 16x6 |
| MG-7188 | 7/16 | 5600 | B | 600# | 0.03  | 8x8  |

## Key Code

**W=White B=Black Y=Yellow C=Clear G=Grey BL=Blue**

**Custom colors are available. Contact your North Shore Sales Representative for information.**

All measurement, size, footage, tensile, thickness, are nominal measurements based on an average measurement made on a number of samples. Variation in measurements are due to standard manufacturing practices.

© 1999 - 2013 by North Shore Strapping Inc. All rights reserved.

Designed and developed by Wei & Pei